

## Test Report

No. SDHG1507011702FB

Date: Jul.27, 2015

Page 1 of 3

CHEUNG KEE CANVAS LTD  
G/F, 352, RECLAMATION STREET, KOWLOON, HONG KONG

The following sample(s) was / were submitted and identified on behalf of the client as:

Sample Description : PVC TARPAULIN  
Style / Item No. : CK 2003  
Color : WHITE  
Sample Receiving Date : Jul.20, 2015  
Test Performing Date : Jul.20, 2015 to Jul.27, 2015

### Test Result Summary

No.	Test(s) Requested	Result(s)	Comments
1	European standard EN 71-2: 2011+A1:2014 Safety of toys - Part 2: Flammability Clause 4.1 & 4.4	PASS	/

For further details, please refer to the following page(s)

Signed for and on behalf of  
SGS-CSTC Co., Ltd.

Irvette Zhang  
Approved signatory



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SDHG - 08 999

### Test Conducted:

European standard EN 71-2: 2011+A1:2014 Safety of Toys - Part 2: Flammability Clause 4.1 & 4.4

### I. Sample Details

Materials / Color:	Plastic / White
Weight:	278 g/m <sup>2</sup>

### II. Precondition and Test Condition

Soaking Condition		<input checked="" type="checkbox"/> YES (Clause 5.4.1)	
	Temperature	Relative humidity	Duration
Precondition	(20±2)°C	(65±2)%	24h
Test Condition	28°C	79%	----

### III. Test Results

Clause*	Description	Result
4.1	<p><u>General requirements</u></p> <p>The following materials shall not be used in the manufacture of toys:</p> <p>----celluloid (cellulose nitrate), except when used in varnish, paint or glue, or in balls of the type used for table tennis or similar games, and</p> <p>----materials with the same behaviour in fire as celluloid.</p> <p>----materials with a piled surface which produce <i>surface flash</i> when a flame is applied to the tested material under the conditions described in 5.5.1 and 5.5.2. Piled surfaces showing no momentary area of flame over the area of the piled surface remote from the test flame are considered to meet this requirement;</p> <p>In addition, toys shall not contain <i>flammable gases, extremely flammable liquids, highly flammable liquids, flammable liquids</i> and flammable gels except as provided for below:</p> <p>----<i>flammable liquids</i> and flammable gels supplied in sealed containers having a maximum volume of 15 ml per container;</p> <p>----<i>highly flammable liquids</i> and <i>flammable liquids</i> being entirely retained within a porous material in capillary channels of writing instruments;</p> <p>----<i>flammable liquids</i> with a viscosity greater than 260 · 10<sup>-6</sup> m<sup>2</sup>/s corresponding to a flow time of more than 38 s when determined in accordance with EN ISO 2431 using cup No. 6;</p> <p>----<i>highly flammable liquids</i> contained in <i>chemical toys</i>.</p>	Pass
4.4	<p><u>Toys intended to be entered by a child</u></p> <p>(1) the rate of spread of flame of the test sample shall not exceed 30 mm/s or the test sample shall self-extinguish.</p> <p>(2) If the test sample has a rate of spread of flame greater than 20 mm/s there shall be no <i>flaming debris</i> or <i>molten drips</i>.</p> <p>(3) If the rate of spread of flame is between 10 mm/s and 30 mm/s, the appropriate part(s) of the toy and the packaging shall be permanently marked with the following warning: "<b>Warning. Keep away from fire.</b>"</p>	Pass

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@sgs.com



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**SDHG - 083000**

### IV. Test Details

Toys intended to be entered by a child (EN71-2:2011+A1:2014, clause 4.4)

<u>Sample</u>	<u>Burning Length</u> (mm)	<u>Burning Time</u> (sec)	<u>Burning Rate</u> (mm/sec)	<u>Flaming debris or</u> <u>molten drips</u>	<u>Comments &amp;</u> <u>Observation</u>
Plastic	0	0	0	NO	DNI


### Remark:

**DNI** — Did not ignite or ignited but self-extinguished before reaching the first measuring point.

**IBE** — Ignited and the first marker thread was severed and the flame extinguished before severing the stop cord, the material tested was considered as self-extinguishing.

**IAR** — Ignited and the flame reached the stop cord.

### Photo Appendix:



\*\*\*End of Report\*\*\*

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@sgs.com



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**SDHG 082858**