

CK 祥記帆布工程有限公司 CHEUNG KEE CANVAS LTD.





Finished Products 成品

Tarpaulin List 全帆布列表

PE TARP 彩条布



CANVAS 硅布



OXFORD TARP 牛津布



PVC COATED TARP 涂塑布



PVC DOUBLE COATED TARP 刀刮布



PVC FABRIC COATED TARP PVC夹网布



TPU FABRIC COATED TARP TPU夹网布



Tarpaulin 帆布



Flood Barrier 防洪板



Flood Gate 拦水坝



PVC Layflat Water Hose 排洪管
PVC Irrigation Tube PVC灌溉水带



Flood Tube 防洪坝



Onion Bladder 洋葱水囊



PVC Bladder PVC水囊



Transport Tarp 运输盖布



Sound Barrier 隔音布



PCA Hose 风管



Membrane Structure Fabric 膜结构

Tarpaulin 帆布

Our factory has many line to manufacture different tarpaulin. It can processing in many finished product. There are many accessories can add on it.


我们的工厂有很多生产线，专门生产不同的防水油布。防水油布可经配件安装等加工制作成成品。



PVC fabric coated tarpaulin can be manufactured with different reinforcing agent such as polyester and fiberglass, and special features such as flame retardant, ultraviolet resistance, anti-mildew and cold crack resistance can also be added upon request. PVC tarpaulin can be used in environmental protection, construction industry, leisure, stationeries and different kinds of outdoor product.

PVC夹网布采用高强聚酯纤维或玻璃纤维等不同补强物料，再经PVC塑料涂层或贴上PVC薄膜加工而成，适用于环保工程、建筑业、休闲用品、文具及多种户外用途。生产时更可随需要而加入阻燃、抗紫外线、防霉、耐寒等特性。


PVC Fabric Coated Tarp
Component
PVC 夹网布结构图



Features as below (Each feasture can reinforce and offer SGS test report)

特点如下 (每项功能均可提高等级并可提供SGS检测报告)

1. 100% waterproof // 100% 防水
2. UV Proof (Can reach the best level 5 scales) 防紫外线 (可以达到最好的等级-5级)
3. Abrasion resistant 耐磨
4. Anti-aging 抗衰老
5. Eco-friendly 环保
6. Tear resistant 抗撕裂
7. Flame resistant (Can comply with UL94 VTM-0) 阻燃 (UL94/VTM-0)
8. Fireproof (can comply with M2, E84) 防火 (M2/E84)
9. High and Low temperature resistant (Standard -40°C~125°C) 耐高低温 (标准-40°C~125°C)
10. Mildew resistant 防霉
11. Wind proof 防风
12. Acid and alkali resistance 耐酸碱
13. Dust resistant 防尘
14. Color Designed 颜色设计
15. Logo printing // LOGO 印刷



Flood Barrier 防洪板

Barrier can be used in many places for protection, such as river, subway, street, factory, house, etc
 防洪板可用于多个地方，例如拦河水，地下铁，街道，工厂，房子等。

设计说明 Design instruction

Using the "L-shaped bookend principle", the flood water hits the bottom of the flood barrier, and the pressure it generates is converted into resistance, which can protect human resources from flooding.

采用“L型书挡原理”，洪水撞击防洪屏障的底部，它所产生的压力随即转化为阻力，可阻挡洪水侵袭人类资源。

使用场景 Application



Home 房子



Warehouse 仓库



Basement 地下室



Division Space 分隔空间



City 城镇



Street 街道



River 河流



Dam 水坝

TIME & LABOUR
 省时省力



防洪板结构 Barrier Structure



Side Defense 侧挡



Rolled Up 可收卷



Turnable 可转弯



Emergency Exit 应急出口



Easy to Pack 收纳方便



Unlimited Extension 无限延伸



It can be deployed by 1-2 people and rolled up for storage.

Warning words can be printed, turning positions, emergency exits can be set. Modular design, unlimited connections!

1-2人即可部署，可卷起存放，可打印警示语，可设置转弯位和紧急通道。模块化设计，连接的长度无限制！



Firm 稳固的



Double Defense 双层防护



Warning Printing 警告语印刷



FLOOD GATE

拦水坝


Features 特征

- ※ Flood gate size is customized 拦水坝的尺寸可定制
- ※ 100m flood gate can be deployed by 1 person within 1 hour 100米长的拦水坝可由一人在一小时内部署
- ※ 100m flood gate can be dismantled by 1 person in 1.5 hours 100米长的拦水坝可由一人在1.5小时内拆卸
- ※ No maintenance 无需维护
- ※ Color can be customized 颜色可定制



Working Principle 工作原理

When water accumulates in the flood gate, water pressure and gravity will be generated, which will make the flood gate fixed on the ground without moving, and automatically open to intercept the water flow.



当水积聚在拦水坝里的时候，会同时产生水压和重力，这会使拦水坝固定在地面上不会移动，自动张开，拦截水流。



Easy to Pack 收纳方便 Open Shape 展开形状 Working Shape 工作型态 Velcro Connect 魔术贴连接 Galvanized Iron 镀锌铁 Cotton Inside 内有棉花 Outlet 排水口 LOGO Printing LOGO打印



Custom large size flood pipe is Anti-UV, anti-aging, good sealing and no leakage, can withstand high water pressure (10BAR), large size, and the size can be customized. It can be connected and extended, and reflective strips can be made for warning. Multiple auxiliary pipe drains can be set to divert water to different places.

定制的排洪管是抗UV，耐老化，密封性好不渗漏，可承受的水压高（10BAR），尺寸大，尺寸可定制。可连接延伸，可制作反光条作警示作用。可以设置多个副管排水口，把水引流到不同地方。

PVC Layflat Water Hose

定制大尺寸排洪管



PVC Irrigation Tube

PVC灌溉水带


Advantage 优势

- ◆ Low Economic Loss 经济损失小
- ◆ Saving Water 节约用水
- ◆ Saving Labor 节省劳动力
- ◆ Improving Water Quality 改善水质

PVC irrigation tube inefficiencies in gravity irrigation systems can save irrigators money and labor. Normal wear and tear associated with piecing together sections of irrigation pipe and opening and shutting gates can cause significant inefficiencies to irrigation over time.

PVC灌溉水管可以最大限度地减少重力灌溉系统中的低效率，可以节省灌溉者的金钱和劳动力。随着时间的推移，灌溉管道之间的拼接磨损和闸门的开启和关闭都会导致灌溉效率显著降低。





Flood Tube 防洪坝

ADVANTAGES 优势

- ▼ Reusable 可重复使用
- ▼ Environmentally friendly 环保
- ▼ Fast to deploy / dismantle 方便使用

APPLICATION 应用范围

- ▼ Cofferdams 围堰
- ▼ Flood control 防洪
- ▼ Storage of liquids 储液
- ▼ Sediment blocking 沉积物隔离



PROPERTY 特性

- ▲ Shape can be customized 形态可定制
- ▲ No length limit 无限长延伸
- ▲ Flexible 可折叠
- ▲ Easy to transport / storage 方便运输和储存

Brand: LTCANOPY 利通帆蓬厂
Made in China 中国制造

The flood tube has the functions of temporary river bed construction, river course interception, silt interception, wave blocking and flood control. Its height can reach up to 8m, its length is not limited, and its load-bearing capacity can reach thousands of tons.
防洪坝具有临时河床建设，河道拦截，淤泥拦截，阻挡海浪和抗洪等作用。它的高度最高可到8m，长度不限，承重可达数千吨。



Flood Tube Manufacturing 防洪坝生产图





Onion Bladder 洋葱水囊



Capacity	Weight	Bottom Diameter	Top Diameter	High
1000L	6.2kg	160cm	100cm	80cm
2000L	12.4kg	200cm	130cm	110cm
3000L	18.6kg	250cm	180cm	130cm

Features 特点

- ◆ Can be deployed anywhere 可在任何地方部署
- ◆ Low maintenance, easy to clean and repair. 维护量低, 易于清洁和维修
- ◆ Available in different capacity variants 提供不同容量
- ◆ No assembly required - self-supporting, no frame 无需装配——自支撑, 无框架
- ◆ Collapsible flexible tank, takes up less space 可折叠的柔性油箱, 占用空间少



Fire Fighting rescue 火灾救援



Producing
生产

Cotton+Air Exhaust
棉+排气

Self-Supporting
自支撑

Filling
充水

Filling
充水

Top Cover
盖布

Release Water
排水

Applications 应用

- ◆ Fuel Storage 燃料储存
- ◆ Fire Fighting 消防
- ◆ Industrial Waste 产业废弃物
- ◆ Fertilizer 肥料
- ◆ Forestry Service 林务局
- ◆ Drinking Water 饮用水
- ◆ Gray Water Storage 灰水储存
- ◆ Water treatment Plat 水处理
- ◆ Disaster Relief 灾害救援



BLADDER 水囊

Storage of liquids such as drinking water, gasoline, diesel, oil, fuel, waste water, etc
 用于存储多种液体，如饮用水，汽油，柴油，食用油，燃料，废水等

Same capacity, same price, can be made in different Shapes.

同样容量，价格不变，可以定制不同的形状



Application 应用范围

The water bladder can be customized into different capacities or shapes. It can be used for drinking water transportation, container oil storage, farm irrigation, temporary water storage in deserts, etc.

水囊可定制成不同的容量或不同的造型，它可用于饮用水的运输，集装箱油的储存，农场灌溉，沙漠临时存水等。



Agricultural Irrigation

农业灌溉



Oil container transport

集装箱燃油运输



Loading Test 负荷测试



Flood Control 防洪



Gasoline Transportation & Storage

汽油运输与储存



Bridge Preload Test

桥梁建筑预压

应用范围
Application

The container tarps can provide protection for various storage containers such as data equipment containers, clean energy containers, and cold chain containers. Whether it is normal shape or special shape container, we can also customize a suitable tarpaulin cover for it.

集装箱盖布可为数据设备集装箱，清洁能源集装箱，冷链集装箱等各种储存集装箱提供保护。无论是正常形状的还是异形的集装箱，我们都可以为其定制合适的盖布。



Color Customized

颜色可定制



Nowadays, there are various means of transportation. Our factory will provide the best suggestions and customize the most suitable transportation tarps for customers, HUAWEI, BYD CIMC and other well-know enterprises are our long-term partners. We have won the favor of customers with the best quality, highest efficiency and best service. I believe LTCANOPY will be your best choice!

如今的运输工具多样化，我们厂则会提供最优的建议给客户并为客户定制最合适的运输盖布。华为，比亚迪，中集等知名企业都是我们的长期合作伙伴。我们以最好的质量，最高的效率，最好的服务赢得了客户们的青睐。我相信LTCANOPY会是你最好的选择！



Laser Print
激光打印



Customs Gate
海关门



Windows
窗户



Reflective Tape
反光带




Zipper
拉链



Velcro
魔术贴



Rope & Eyelets
包绳打孔



HZ Welding
高频焊接



Buckle
扣扣



Cotton Protect Corner
棉护箱角



Nail & Wire
钉和钢丝绳



Pulley
滑轮

Processing Technics
加工技术

Production Site 生产现场

We have produced more than 83 types of sound barriers, which have been sold to 20+ countries.

我厂已生产超过83种隔音屏障，已销往至20多个国家。

++



Application & Property 应用场景和特性

We will customize suitable sound barriers according to the parameters required by customers, such as sound insulation material, number of layers, size, color, fire rating, Logo printing, etc.

我们会根据客户所需要的参数定制适合他们的隔音布，例如隔音材料，层数，尺寸，颜色，防火等级，Logo印刷等。

30+db Barrier
隔音可达30+

Fire Level Customization
防火级别定制

LOGO Laser Printing
LOGO激光印刷

Soundproof barriers are widely used in indoor and outdoor places such as construction sites, subway stations, playgrounds, machinery areas, factories, recording studios, entertainment halls, music venues and homes. 隔音布广泛应用于建筑工地、地铁站，游乐场，机械区，工厂、录音棚，娱乐厅，音乐场所，房子等的室内外场所。



40HQ container can hold 600 pcs of 2m*1m soundproof barrier

40HQ柜子可装载600张 2M*1M 的隔音布

The sound barrier is composed of multiple layers of sound insulation materials, which can block noise up to 30db. Sound insulation level can be customized.

隔音布由多层隔音材料组成，最高可阻隔30db的噪音，隔音等级可定制。




SOUND BARRIER

隔音布

OIL BOOM

围油栏



Oil Boom not only for the oil spilling, but also for rubbish barrier which floating on the river or lake or ocean, dividing the zone at the seashore. It can also effectively block waves and reduce its hazards. Length can be customized, standard size is 20-25 meter, width will be according to the place to suit for. There are six kinds of oil boom listed which are more popular.

围油栏不仅仅用于泄油事故，也用于河流、湖泊、海上的垃圾拦截，沿海的地域划分。它还可以有效地阻挡海浪并减少其危害。它的长度是定制的，常规是20-25米每条，宽度会根据使用地不同而定制。这列了六种常用的围油栏提供选择。



Application 适用范围

- River Area 江河流域
- Harbor Area 港口领域
- Wharf Basin 码头流域
- Oil Sector 石油领域
- Reservoir Basin 水库流域
- Maritime Domain 海上领域

MODE 型号	SHAPE 外型	REAL PICTURE 实体图	APPLICATION 应用场景
LT-B001			
LT-B002			
LT-B003			
LT-B004			
LT-B005			
LT-B006			

PCA HOSE

风管

Temperature Range: -30°C~450°C / Customized

Size customized & Flexible

温度范围: -30°C ~450°C / 可定制

尺寸可定制 & 可伸缩



Application 应用范围



-15°C ~70°C



-30°C ~100°C



-25°C ~450°C



Industrial Area 工业

There are many styles and configurations of PCA hoses, which are widely used in exhaust emissions in airports, tunnels, basements and other places. The material of the PCA hose is thermal insulation, fireproof, environmental friendly and no peculiar smell.

风管有很多配置和款式，它们广泛应用于机场，隧道，地下室等地的废气排放。风管的材质保温、防火、环保、无异味。


Aviation 航空业



Coal Mine 煤矿业



Color Selection 颜色选择



◆ Light weight & Easy to operate
质量轻 & 易于操作

◆ Professional processing and customization
专业加工与定制

Membrane Structure Fabric

膜结构

The membrane structure has the properties of anti-UV, anti-static, anti-mildew, anti-bacteria, windproof, heat preservation, and self-cleaning. It does not fade even after 10 years of use. It can be used as wedding tents, party event tents, temporary shelter tents and can provide storage functions.

膜结构具有抗紫外线、抗静电、防霉、抗菌、防风、保温、自洁等性能，使用10年不褪色。它可以用作婚礼帐篷、派对活动帐篷、临时避难所帐篷或提供存储功能。

