

UV Printing Services UV 印刷服务

UV 印刷是数字印刷的一种形式，在印刷时使用紫外线来干燥或固化墨水。打印机将墨水分布在材料（称为“基材”）的表面上，专门设计的紫外线灯紧随其后，立即固化或干燥墨水。

该打印机可在PVC横幅、牛津布、有机硅篷布、皮革等材料表面打印，最大宽度2.1m。

UV printing is a form of digital printing that uses ultra-violet lights to dry or cure ink when printed. The printer distributes ink on the surface of a material (called "substrate") specially designed UV lights follow close behind, curing - or drying - the ink instantly.

The printer can be printed on PVC banner, Oxford tarp, organic silicon tarp, leather etc. material surface, with max width 2.1m.

2.1M
最大宽度



PVC Banner
PVC 横幅



Oxford Tarp
牛津布




Organic Silicon tarp
有机硅篷布



Leather
皮革



Commonly Used Materials 常用材料



- PVC Tarpaulin
PV 篷布



- Canvas Fabric
帆布面料




- Oxford Tarp
牛津布



- PU Leather
PU 皮革

Application 应用




- Truck Transport Covers Advertising
货车运输盖布广告



- AD For Supermarket
超市广告



- Banner For Company Info
公司门头招牌







UV Printing 激光打印

LTCANOPY 不仅是一个优质的帆布制造商，还是一个优质的印刷专家。只需要提供你所需要印刷的图案，我们就可以将其印刷到我们的防水布上，印刷出来的图案清晰且色泽均匀。UV 印刷可保持十年不褪色。

LTCANOPY is not only a quality canvas manufacturer but also a quality printing specialist. You can provide us the pattern and then we can print it on our tarpaulin. The printed pattern is clear and the color is uniform. UV printing can last for ten years without fading.



Widely Application in Many Aread 应用广泛



01 UV Print On Take Out Delivery Box 外卖送餐包

展开你的想像力，很多东西都可以变成可能！
Use your imagination, everything is possible.



02 Sound Barriers 隔音毡



03 Semi Trailer Side Curtain 汽车侧帘



04 Pattern Print on Handbags 手提包

202210428548.0

申请号或专利号

Application number or patent number

Flood Barrier
防洪板

防洪板可用于多个地方，例如拦河水，地下铁，街道，工厂，房子等。

Barrier can be used in many places for protection, such as river, subway, street, factory, house, etc

Design Instruction

设计说明

L型

书挡原理 L-Shaped Bookend

采用“L型书挡原理”，洪水撞击防洪屏障的底部，它所产生的压力随即转化为阻力，可阻挡洪水侵袭人类资源。

Using the principle of "L-shaped bookend", the flood water hits the bottom of the flood barrier, and the pressure it generates is converted into resistance, which can protect human resources from flooding.

Application 使用场景



Home
房子



Warehouse
仓库



Basement
地下室



Division Space
分隔空间



City
城镇



Street
街道



River
河流



Dam
水坝



Barrier Structure 防洪板结构

01



Side Defense
侧挡

02



Rolled Up
可收卷

03



Turnable
可转弯

04



Emergency Exit
应急出口

05



Easy to Pack
收纳方便

06



Unlimited Extension
无限延伸

07




Firm
稳固的

08



Double Defense
双层防护

09



Warning Printing
警告语印刷

1-2人
即可部署



可卷起存放，可打印警示语，可设置转弯位和紧急通道。模块化设计，连接的长度无限制！

It can be deployed by 1-2 people and rolled up for storage. Warning words can be printed. Turning positions, emergency exits can be set. Modular design, unlimited connections!



Flood Barrier
防洪屏障


Countless Sandbags
大量沙袋

Working Principle 工作原理

其工作原理是水的重量使屏障保持直立。且可由 1-2 人部署，安装、存放方便。

The working principle is the weight of the oncoming water keeps the barrier upright. And it can be deployed by 1-2 people, easy to install and store.

1-2人
即可部署



Why you should choose flood barrier rather than sand bag? 为什么要选择防洪屏障而不是沙袋？



防洪屏障

- | | |
|---------------------------------|-----------|
| 01 Can be deployed by wheel | ○ 可通过车轮展开 |
| 02 Can be deloyed by one person | ○ 可以一个人展开 |
| 03 No need power | ○ 不需要电源 |
| 04 Reusable | ○ 可重复利用 |
| 05 Self rising | ○ 自升 |
| 06 Long life span | ○ 寿命长 |



沙袋

- | | |
|-----------------------|-----------|
| 01 Need more peoples | ○ 需要更多的人力 |
| 02 Difficult to store | ○ 难以储存 |
| 03 Need sand | ○ 需要沙子 |
| 04 One time used | ○ 一次性使用 |
| 05 Material wasted | ○ 浪费材料 |
| 06 Not in time | ○ 不及时 |

Water Filled Inflatable Dam 防洪坝

为你的财产做保障!
Provide a guarantee for your property



Specification 样品参数

直径 60 cm x 3m 长

60cm diameter x 3m length

重 3.5 公斤 / 米

Weight 3.5kg/m



Anti fungus
防霉



Fire Resistance
阻燃



UV Protection
抗紫外线



Dustproof
抗尘



Eco Friendly
环保



Anti Freeze
防低温



Wind Proof
防风



Fireproof
防火



Waterproof
防水

- | | |
|----------------------------------|-----------|
| 01 Perimeter Building Protection | ○ 建筑物周边保护 |
| 02 Swelling River Diversion | ○ 涨水分流 |
| 03 Equipment Protection | ○ 设备保护 |
| 04 Cofferdams | ○ 围堰 |
| 05 Infrastructure Protection | ○ 基础设施保护 |
| 06 High Value Home protection | ○ 高价值家居保护 |





VS



Less Labor = Save Time

- 01 Protect The Landscape ○ 保护景观
- 02 Protect Whole Buildings ○ 保护建筑
- 03 Protect Property ○ 保护财产
- 04 Hold Back & Divert Water ○ 阻水和分流
- 05 Store Water ○ 储存水
- 06 Cross Water - Pontoon ○ 浮筒

Multi Purpose-Application 多用途应用程序



Each water filled flood control tube becomes heavy with water when filled, creating a durable, heavy duty temporary water barrier berm that protects against rising flood waters.

每条充水防洪管充满水后会变得沉重，形成重型临时防水屏障护堤，防止上涨的洪水。



Water Outlet
出水口



Water Inlet
进水口



Galvanized D Ring
镀锌 D 环



Polyester Handle
涤纶手柄

6 Type of Cofferddam — 围堰的类型

Cantilever Sheet Pile Cofferddam
悬臂板桩围堰

Braced Cofferddam
支撑围堰

Earth Embankment Cofferddam
土堤围堰

Rock Fill Cofferddam
填石围堰

Double Wall Cofferddam
双壁围堰

Cellular Cofferddam
蜂巢围堰

Advantages of cofferdams 围堰的优势

- 01 允许在旱地上挖掘和建造建筑物
Allow for excavation and construction of structures on dry land
- 02 为建筑商提供安全的环境
Provide safe environment for contractors
- 03 易于安装和拆卸
Easily installed and removed
- 04 产品通常也可用在其他项目
Can usually be used on other projects



Construction Applications 应用场景



Bridge Repairs
桥梁维修



Boat Ramp repairs
船坡道维修



Tunnel maintenance
隧道修理



Cofferdam Dredging
围堰疏浚



Dewatering Solutions
降低水位



River Crossing
桥渡



Water Containment
储水

Working Principle 工作原理



当围堰冲水后（可用现场的水或从其他地方调水）会产生平衡压力，从而稳定围堰免受外部因素（例如横向水运动）的影响。

When water (onsite or otherwise) is pumped into the water barrier dam to create counter-balanced pressure that stabilizes the cofferdam against external factors, such as lateral water movement.

Water Filled Flood Barrier

充水防洪管

充气防洪屏障系统可确保在需要的时间和地点快速组装临时防洪屏障，保护建筑物、工业场地、道路和乡村，并减少洪水造成的损失。

Inflatable flood barrier systems guarantee the rapid assembly of temporary flood barriers when and where they are needed, protecting buildings, industrial sites roads and countryside and reducing damage caused by flooding.



Outlet Valve
出口阀



Inlet Valve
充气阀



Eyelet
扣眼



PVC Tarpaulin
优质 pvc 篷布

Connection Method 连接方式



如果你需要，防洪管有一个系统，可以首尾相连，形成一个连续的防洪堤坝。

The water-filled tubes have a system to join together, end to end, to create a single continuous dam that is as long as you need it to be.

Application 应用



Home building
家庭建筑



Boat mooring and containment
船舶围堵





River throttling
河道节流



Cofferdam Dredging
围堰疏浚

PVC Bladder 承重 PVC 水囊



- Application: Precompression of Bridges and large structures
应用: 桥梁和构造大型建筑的预压
- Accessories: 1 inlet, 1 outlet, rope frame
配件: 1 个出水口, 1 个进水口, 巩固带


蓄存	45 立方水
原材料	PVC 夹网布
用料厚度	0.9mm
重量	132 公斤 / 个
打包体积	0.3 立方
尺寸 (长x宽x高)	6m x 2.5 m x 2.5m

Capacity	45000L
Raw Material	PVC fabric coated tarp
Thicknes	0.9mm
Bladder N.W	132kg per pcs
Packing Size	0.3 CBM
Size	L 6000mm x W 2500mm x H 2500mm



Water Prevention Flood Barriers 防洪屏障

在洪水期为您的设备提供一个安全干燥的环境!
help keep equipment dry and provide
safe storage during floods



Application 应用




River
河道



Building
建筑




Entrance
入口



Working Principle 工作原理

当水积聚在拦水坝里的时候，会同时产生水压和重力，这会使拦水坝固定在地面上不会移动，自动张开拦截水流。

When water accumulates in the flood gate, water pressure and gravity will be generated, which will make the flood gate fixed on the ground without moving, and automatically open to intercept the water flow.



Colors can be customized
颜色可定制

5 Product Features 产品特征

- 01 拦水坝的尺寸可定制
Flood gate size is customized
- 02 100 米长的拦水坝可由一人在一小时内部署
100m flood gate can be deployed by 1 person within 1 hour
- 03 100 米长的拦水坝可由一人在 1.5 小时内拆卸
100m flood gate can be dismantled by 1 person in 1.5 hours
- 04 无需维护
No-maintenance
- 05 颜色可定制
Color can be customized



01 — 02 — 03 — 04 — 05 — 06 — 07 — 08 — 09



Easy to Pack
收纳方便




Open Shape
展开形状



Working Shape
工作形态



Velcro Connect
魔术贴连接



Galvanized Iron
镀锌铁



EPE pearl
cotton stick
EPE 珍珠棉棒



Outlet
排水口




LOGO Printing
LOGO 打印


Flood Barrier for Garage Door 车库门防洪屏障



标准尺寸 Standard size	300cm x 30cm x 30cm
厚度 Thickness	0.6mm
重量 Weight	11.5KG



Product display 产品展示



VS




Specification 样品参数



- 01 拆开包装，把它放置在使用的地方
Take out the barrier and put in the specify area



- 02 打开阀门盖，把水管伸入进水口
Unscrew the valve. Insert the water pipe into the valve.



- 03 充水到适高度，拉出水管，关上阀门盖
Filling in suitable height. Draw out the pipe and lock the valve.

Flood Barrier for Garage Door

工业聚氯乙烯篷布
Industrial PVC Tarpaulin



Water-proof
防水



Anti-Scratch
防刮



Anti-Abrasive
抗磨损



Recyclable
可回收的



Flexible
灵活的



Portable
轻便的

Flood Barrier for Garage Door



PVC Irrigation Tube

PVC 灌溉水帶

提高灌溉效率，节省灌溉者的金钱和劳动力！

Improve irrigation efficiency and save irrigators money and labor!



我们的 PVC 水带的尺寸是可定制的。它抗紫外线、抗老化、密封性好不渗漏，可承受高水压 (10BAR)。每根管道之间都可以连接延长。如有需要，可在管道上做反光条作警示作用，也可在管道侧面设置多个排水口，以便将水分流到不同的地方。

The size of our PVC Layflat Water Hose is customizable. It is anti-UV, anti-aging, good sealing without leakage, and can withstand high water pressure (10BAR). Each hose can be connected and extended. If required, reflective strips can be made on the hose as warning, and multiple secondary pipe drains can be set on the side of the hose to divert water to different places.

定制大尺寸水带

PVC Layflat Water Hose



4 Product Advantage

产品优势

- 01 经济损失小
Low Economic Loss
- 02 节约用水
Saving Water
- 03 节省劳动力
Saving Labor
- 04 改善水质
Improving Water Quality

Property 性能

PVC 灌溉水管可以最大限度地减少重力灌溉系统中的低效率，可以节省灌溉者的金钱和劳动力。随着时间的推移，灌溉管道之间的拼接磨损和闸门的开启和关闭都会导致灌溉效率显著降低。


PVC irrigation tube can minimize inefficiencies in gravity irrigation systems can save irrigators money and labor. Normal wear and tear associated with piecing together sections of irrigation pipe and opening and shutting gates can cause significant inefficiencies to irrigation over time.

Acoustic Curtain

隔音帘

5 Product Advantage 产品优势

- 01 耐用持久 Durable
- 02 防水 Waterproof
- 03 阻燃 Flame retardant and fire proof
- 04 可印刷 Logo printing
- 05 吸音效果好 Absorbs Noise Effectively



Instructions To Usd 使用说明

<p>STEP 01 步骤 01</p> <p>打开隔音毡，找出安装的工具 Open the sound insulation felt and find the installation tool</p>	<p>STEP 02 步骤 02</p> <p>悬挂的地方标出隔音毡鸡眼对应的距离 The hanging place marks the corresponding distance of the sound insulation felt corners</p>	<p>STEP 03 步骤 03</p> <p>用螺丝刀固定好挂钩在墙上 Use a screwdriver to secure the hook to the wall</p>	<p>STEP 04 步骤 04</p> <p>将隔音毡挂在挂钩上 Hang the soundproofing felt on the hook</p>
<p>STEP 05 步骤 05</p> <p>将魔术贴一边的胶布贴上墙上 Place one side of the Velcro tape on the wall</p>	<p>STEP 06 步骤 06</p> <p>将魔术贴另一边按压均匀，贴紧，直到没有空隙为止 Press the other side of the Velcro evenly and tightly until there is no gap</p>	<p>STEP 07 步骤 07</p> <p>将钉子永久固定好墙上的魔术贴，每1英寸一个 Attach nails permanently to the wall Velcro, one every 1 inch</p>	<p>STEP 08 步骤 08</p> <p>按照上述的步骤，隔音毡就可以正常使用了 Following the above steps, the sound insulation felt can be used normally</p>

Application Field 应用场景



PVC Soundproof Tarpaulin Fabric Sheet


PVC 防音布

防音布具有将声音与其来源隔离的能力。它隔绝了建筑工地的高噪音，因此可以在一天中的任何时间进行施工作业，而不会存在干扰邻居的风险除了隔音性能外，它还具有阻燃性和高度耐用性它可以通过其位置良好的孔眼轻松安装。

Sound barrier sheet has the ability to insulate sound from its source. It cuts off the high level of noise associated with construction site, and thus allows construction work to be carried out at any time of the day without running the risk of disturbing the neighbourhood. Apart from its sound insulation property, it is fire retardant and highly durable. It can be easily installed with its well positioned eyelet.



Japanese FR Label 日本 FR 标签



Connection Flaps 连接部分



Logo Printing logo 印刷

尺寸: 4 cm x 10.5 cm
Size

FR 编号: F-23-1581
FR NO

是否需要: 是
Necessary or Not: Yes

应用: 缝在右上角
Usage: Sewing in the upper right corner

数量: 一长一宽各 1 个
Quantity: 1 pc in one length and one

用途: 增加密封性能, 隔音效果更好
Usage: Increase the sealing performance for better sound insulation

注: 折翼不包含在成品尺寸中
Note: The flaps are not included in the finish product size

打印内容
Printing Contents

汉语单词 (防音) 和声音屏障
Chinese word (防音) & Sound Barrier

公司名称 / 标志
Some company name / logos

特殊要求定制
Special requirement customized

Application 应用



Construction site
工地



Building
建筑




Railway sides
铁路两侧

Sound Barrier 隔音屏障



Production Site 生产现场



83+
隔音屏障

20+
销往国家

我厂已生产超过 83 种隔音屏障, 已销往至 20 多个国家。

Our factory has produced more than 83 types of noise barriers and has been sold to more than 20 countries.

Property 特性

30+db Barrier
隔音可达 30+

Fire Level Customization
防火级别定制

Logo UV printing (UV 打印)
LOGO 激光印刷

我们会根据客户所需要的参数去定制一款适合他们的隔音布, 例如隔音材料, 层数, 尺寸, 颜色, 防火等级, Logo 印刷等。

We can custom a suitable sound barrier according to the parameters required by customers, such as sound insulation material, number of layers, size, color, fire rating, Logo printing, etc.



Application 应用场景

隔音布广泛应用于建筑工地、地铁站游乐场、机械区、工厂、录音棚、娱乐厅、音乐场所, 家等的室内外场所。

Sound barrier is widely used in indoor and outdoor places such as construction sites, subway stations, playgrounds, machinery areas, factories, recording studios, entertainment halls, music venues and home etc.



○ 40HQ 柜子可装载 600 张 2M*1M 张隔音布
40HQ container can hold 600 pcs of 2m*1m soundproof barrier

○ 隔音布由多层隔音材料组成, 最高可达 30db 的噪音, 隔音等级可定制。
The sound barrier is composed of multiple layers of sound insulation materials, which can block noise up to 30db. Sound insulation level can be customized

30db
最高可达隔音

PVC inflatable noise barrier wall


充气隔音墙

该充气隔音屏障长 6m，高 6m，可制成任何尺寸以满足您的要求。材料为耐用的厚度 0.6 毫米 PVC 防水布。

它是一种气密充气声屏障，充气后您可以将气泵拆下，不用时用气泵的反向把气体排出，使用起来很方便。

This inflatable noise barrier is 6m long, 6m high. It can be made at any size to satisfy your requirement. The material is durable PVC tarpaulin which thickness is 0.6mm. It's an airtight inflatable sound barrier and you can remove the inflator once it's inflated. When you no need you can flow out the air with the inflator by reverse direction. It's convenient for using.

6000



Product Detail 产品详情



改充气式隔音墙是一种特殊设计的隔音屏障，通过从鼓风机中输入空气来操作，同时仍保留阻挡声波远距离传播方向的能力，或通过吸收声波来显著减少回声和混响。

inflatable noise barrier is a specially designed type of noise barrier which is operated by inflator to full fill with air as a barrier. while It still retain the capability to block the direction of sound waves which from far distances or by absorbing sound waves to significantly reduce echo and reverberation.




01 D Ring
D 型环



02 Air Vent
出气阀



03 Heat-Seam
热合连接



04 Tear Resistant
抗撕裂

Bladder 水囊

用于存储多种液体,如饮用水,汽油,柴油,食用油,燃料,废水等。

Storage of liquids such as drinking water, gasoline, diesel, oil, fuel, waste water, etc.



同样容量,价格不变,可以定制不同的形状

Same capacity, same price, can be made in different Shapes.



Application 应用范围

水囊可定制成不同的容量或不同的造型,它可用于饮用水的运输,集装箱油的储存,农场灌溉,沙漠临时存水等。

The water bladder can be customized into different capacities or shapes. It can be used for drinking water transportation, container oil storage, farm irrigation, temporary water storage in deserts, etc.



○ Agricultural Irrigation
农业灌溉

○ Oil container transport
集装箱燃油运输

○ Loading Test
负荷测试

○ Flood Control
防洪

○ Gasoline Transportation & Storage
汽油运输与储存

○ Bridge Preload Test
桥梁建筑预压



Onion Bladder 洋葱水囊



Capacity	Weight	Bottom Diameter	Top Diameter	High
1000L	6.2kg	160cm	100cm	80cm
2000L	12.4kg	200cm	130cm	110cm
3000L	18.6kg	250cm	180cm	130cm

5 Product Features 产品特点

- 01 可在任何地方部署
Can be deployed anywhere
- 02 维护量低, 易于清洁和维修
Low maintenance, easy to clean and repair
- 03 提供不同容量和变体
Available in different capacity and variants
- 04 无需装配自支撑, 无框架
No assembly required - self-supporting, no frame
- 05 可折叠的柔性油箱, 占用空间少
Collapsible flexible tank takes up less space

火灾救援
Fire Fighting rescue



Applications 应用

- Fuel Storage 燃料储存
- Fertilizer 肥料
- Gray Water Storage 灰水储存
- Fire Fighting 消防
- Forestry Service 林务局
- Water treatment Plat 水处理
- Industrial Waste 产业废弃物
- Drinking Water 饮用水
- Disaster Relief 灾害救援



Producing
生产



Cotton+Air Exhaust
棉+排气



Self-Supporting
自支撑



Filling
充水



Top Cover
盖布



Release Water
排水

Flexitank 集装箱液袋

2400 L
最多容纳体积



液袋用于运输，“非危险液体”大多数液袋的平均容量在 10,000 升到 24,000 升之间。其他则根据装运要求定制 - 从 1000 升到 100,000 升不等。

Flexitanks are used for the transportation of "non-hazardous liquids." The majority of flexitanks offer a capacity between 10,000 liters to 24,000 liters on average. Others are customized according to shipment requirements - ranging from 1,000 liters to 100,000 liters.

集装箱液袋是灵活的罐式集装箱，可安全存储和运输散装液体货物。“集装箱液袋”可以描述为密封、可折叠且灵活的袋子或囊，可装入 20 英尺干货车 (DV) 或标准集装箱中。常用的集装箱液袋最多可容纳 24,00 升液体货物。


Flexitanks are flexible tank containers that offer secure storage and shipment of liquid cargo in bulk. A Flexitank can be described as a hermetically sealed, collapsible, and flexible bag or bladder, which is fitted into a twenty-foot Dry Van (DV) or standard container. The Flexitanks commonly used by the industry can hold up to 24,000 litres of liquid cargo.



Product Detail 产品详情



Stainless steel outlet valve
不锈钢阀门



Stainless steel inlet valve
不锈钢进水阀



Stainless steel sealing cap
不锈钢密封帽



Reinforcement strip
加固胶带




D Ring
D 型环



Durable pvc tarpaulin
优质耐用 PVC 篷布

布料、阀门和印刷等，可根据需求定制
Support Customized



Inflatable Fenders

护船气囊

4 Product Advantage 产品优势



01 轻便且耐用
Light and ultra-resistant


02 方便存储
Easy storage

03 有多种颜色可以选择
Available in a variety of colors

04 易于充气 and 放气
inflation and deflation



热合焊接 (不用胶水)
Welded together (not glued)



标准防水阀门, 方便充气 and 放气
Standard waterproof valve
easy to inflate and deflate



不锈钢 D 环, 抗拉强度高达 3.5t
Stainless steel D-rings
tensile strength up to 3.5t

Raw Material 关于面料

我们的充气护舷由 0.9 毫米厚的重型无痕 PVC 织物制成换句话说: 我们的挡泥板特别坚固耐用, 为您提供卓越的临时挡泥板解决方案, 以保护您的骄傲和喜悦。

Our Inflatable Fenders are constructed from heavy duty 0.9mm thick, non-marking PVC fabric. In other words: our fenders are built extra strong and tough providing you with a superior temporary fender solution to protect your pride and joy.




Application 应用

0.9^{厚度}MM



Working Principle 工作原理




6 Product Advantage 产品优势

- 01 不会发生泄漏
No air leakage
- 02 具备耐光耐热性
Light and heat resistance
- 03 耐酸碱
Acid and alkali resistance
- 04 良好的隔热性
Good thermal insulation
- 05 优异的吸热性
Excellent heat absorption
- 06 环保
Environmentally friendly and clean

Product Detail 产品详情




Performance 性能



TPU FuelBladder

TPU 储油囊

当我们说柔性燃料囊是燃料储存的不错选择时，我们是认真的
When we say flexible fuel capsules are a good option for fuel storage, we mean it



坚固 便携式燃料箱的材料是重型TPU，角落和边缘经过加固，使燃料电池囊具有更长、更耐用的性能。

安全 柴油箱、汽油箱采用耐用材料；专业机械和作业船保留一级燃料囊。

使用方便 展开、填充、完成，只需几分钟即可设置燃料囊。

小包装 小包装可以帮助您节省很多运费。

Rugged: The portable fuel tank is made of heavy-duty TPU with reinforced corners and edges to give the fuel cell capsule longer, more durable performance.
Safety : Diesel tank, gasoline tank using durable materials; Specialized machinery and operation vessels retain primary fuel capsules.
Easy to use: Unfold, fill, complete, and set up the fuel sac in just a few minutes.
Small packaging: Small packaging can help you save a lot of shipping costs.

所以枕形油箱是油箱的一种，但更灵活，更先进！
So the pillow tank is a kind of tank, but more flexible and more advanced!



100L



500L



1000L

Application 应用



Fuel bladder for outdoor industry
户外工业储油囊



Military fuel storage bladder tanks
军用燃料储存



Marine fuel bladder
船用燃料储存



Fuel transportation vehicles
车辆燃料运输

Oil Boom 围油栏



Fuel Spill
燃油泄漏



Containment Rubbish
垃圾围堵



Emergency Rescue
紧急救援

Performance 性能

油围油栏是一种不透水(非吸收性)浮动、类似栅栏的围油栏,用于阻挡水面上的漏油。我们的围油栏重量轻盈、结构紧凑,对于紧急漏油事故是一个好选择,主要用于平静或避风水域(例如港口)中的泄漏河流和池塘等。

Oil boom is an impervious (non-absorbent) floating. It seems like fence which is used to contain oil spilling which is on the water. Our oil booms are lightweight, connected tightly. Good choice for emergency cases to contain oil spilling. Mainly in calm or sheltered waters, such as harbours, rivers and ponds.

6 Product Application 适用范围

- 01 江河流域
River Area
- 02 码头流域
Wharf Basin
- 03 水库流域
Reservoir Basin
- 04 港口领域
Harbor Area
- 05 石油领域
Oil Sector
- 06 海上领域
Maritime Domain




Water Restoration
水体修复



Harbour Maintenance
港口维护

我们利通帆篷厂生产围油栏已经很多年经验,除了产品设计和运输,我们的售后服务也是一流的,根据客户不同的要求我们都会提供最好的建议和意见。


Our factory has specialized in oil containment boom for many years. Except for the products designing and delivery. After service is also excellent. We could provide the best suggestions and advices according to the clients different requirements.



- 01 重量轻、结构紧凑、易于操作、不透水（非吸收性）溢油围油栏
Lightweight, connected tightly, easy to handle, impervious (non absorbent) oil spill boom
- 02 成本低，高品质，性价比高
Economic and cost-effective, high quality, excellent performance.
- 03 围油栏部分会固定在水下，约 40% 的浮于水面
60% part of the boom will be underwater, And about 40% of the oil boom will be floated above the water
- 04 常规每 15~20 米一个 ASTM 铝制连接件链接
Standard size :Each 15-20 meter will be connected by ASTM universal aluminum connector.
- 05 围油栏易于存储和调度，由于能够折叠，占用的存储空间极小
The containment boom is easy to store and install, taking up minimal storage space due to it can be fold.
- 06 快速响应紧急泄油事故
Quick response to emergency oil spills cases
- 07 清洗油污简单（由 PVC 夹网布材料制造）
Easy to clean.(make of PVC coated mesh tarp)
- 08 围油栏受 20 海里以上的风和强水流的影响，因此只适用于平静和避风的水域
The oil boom was only application for calm, sheltered water area.Dur to it will be affected by winds over 20 knots and strong currents,
- 09 殊的铝端连接器 (ASTM 允许将多个部分轻松连接在一起)
aluminium end-connectors (ASTM),They are allowed multiple sections to be joined together easily

9 Competitive Advantages — 产品优势

ASTM Universal Aluminum Connector



Product No.	Flat Diameter (mm) or more	Under The Water Surface (mm)	Length (m)	Weight (kg/span)	Package Size L*W*H(cm)	Connection Method	Usage
产品型号	泡沫直径 (毫米) 或更大	吃水位深度 (毫米)	长度 (米)	每块的重量 / 千克	打包尺寸 长*宽*高 (厘米)	连接件	适用范围
LT-100	100	200	20	22	55x75x40	Z	Short narrow Scope & Emergency 短和窄的范围 & 应急
LT-150	150	300		38	65x100x65	Z	
LT-200	200	300		60	110x85x85	A	Big Areas, like ocean 大范围, 如海洋
LT-300S	300	400		72	115x150x95	A	
LT-300L	300	400		82	125x120x95	A	
LT-300-Air	300	400		70	70x120x30	A	
LT-400	400	500		150		Z	Permanent Installation Type 永久固定性的
LT-450	450	700		200			Customized 定制
LT-600	600	800		240			

连接件 : A 为 : ASTM 通用铝制连接件, Z 为 : 拉链 & 绳 & 扣圈

Connection method: A= ASTM universal aluminum connector, Z=Zipper & Rope & Grommets

可提供定制尺寸和规格的产品

Customized size and specification products are also available

Double Layer Waterproof Dust Conveying Hose 双层涂层防水防尘风管

Specially designed to meet various product conveying needs 定制风管



6 Application 应用

- 01 矿区
Underground mining
- 02 工程隧道
Engineering tunnel
- 03 深水井
Deep Well
- 04 防毒区
Poisonous place
- 05 地下室
Basements
- 06 造船厂
Mechanical shipbuilding

Fabric Features 性能

- Waterproof 防水
- Flame retardant 阻燃
- UVresistant 抗紫外线
- Tear resistant 抗撕裂
- Anti-mildew 防霉
- Double layer 双面涂层



Anti Fungus
防霉



Fire Resistance
阻燃



UV Protection
抗紫外线



Dustproof
防尘




Eco Friendly
环保

Fiberglass Clamp Duct Hose 玻璃纤维铁夹管

450°C
耐高温
Temperature
Resistant



Fiberglass Clamp Duct Hose Structure 玻璃纤维铁夹管结构



包装尺寸 Packing Size	L:1m x W:15cm x H:15cm
净重 N.W (KG Per Pcs)	6.2 公斤 / 件
直径 Diameter	125mm

PVC Fabric Duct Hose (with Wire)

PVC 风管 (有钢丝)

80°C

耐高温

80°C Temperature Resistant




Rubber 橡胶条
Scuff Resistance 防磨损



Buckle 搭扣
Fasten & Hold Ducting 稳固风管



3.0mm Wire Inside 内含钢丝
Keep Shape 定型



One Side Connection With Wire
连接口一端是钢丝

One Side Connection With Rope
连接口一端是绳子

PVC Fabric Duct Hose (with Wire) Structure PVC 风管 (有钢丝) 结构



- 01 保护层: 橡胶
Protection Function: Rubber
- 02 定型: 3.0mm 钢丝
Keep Shape: 3.0mm Wire
- 03 一层: 0.35mm PVC 夹网布
(阻燃达 VTM-0 级别)
One layer: 0.35mm PVC mesh coated tarp (VTM-0)

包装尺寸
Packing Size

L:40cm x W:40cm x H:15cm

净重
N.W KG Per Pcs

7.05 公斤 / 件

实用新型专利证书号: ZL 2022 21449568.8
 Utility model patent certificate number: ZL 2022 2 1449568.8
 外观证书专利号: ZL 2022 3 0356918.5
 Appearance patent certificate number: ZL 2022 3 0356918.5

Scope Of Application 适用范围

利通是中国风管制造商，我们的风管广泛应用于工业，容入生活，矿产业，航空业等领域。例如用于机房地下室、隧道、市政管道工程、机械造船工程、采矿通风设备、消防排烟，航空排气等恶劣工作环境下的送风及排气、集除烟尘之用。

LTCANOPY is a China based manufacturer and supplier of PVC flexible duct hose. Our flexible ducting can be used in a wide range of industrial & life & mining & airport etc. Such as engine rooms, basements, tunnels, municipal pipeline engineering, mechanical shipbuilding engineering, mining ventilation equipment, airline business fire exhaust and other harsh working environments for air supply and exhaust, and for dust collection and removal.

9 Product Application 适用范围



Municipal Pipeline Engineering
市政工程



Home Dust Clear
家里除尘



Mining
采矿通风



Aviation
航空业



Tunnels
隧道



Industry
工业



Engine Rooms
机房




Construction Site
建筑工地



Fire Exhaust
消防排烟

Inflatable Swimming Pool

充气游泳池



Waterproof PVC fabric
PVC 防水面料




Raft Inflation Valve
筏式充气阀



Tear-Resistance
抗撕裂面料

Other Types 其他类型



Round Shape Frame Swimming Pool 圆形框架游泳池

颜色和尺寸均可定制
Size & color can be customized

Rectangle Shape Frame Swimming Pool 长方形框架游泳池

如果想要更长久的夏季固定设施，请考虑使用侧面镀锌框架的花园游泳池。

For a more permanent summer fixture, consider a garden swimming pool with galvanised sides.



PVC Biofloc Aquaculture Tank

PVC 生物水产养殖池

5 Product Advantage
产品优势



- 01** 安装、操作简单
Simple installation and operation.
- 02** 环保，可彻底排水，可重复使用
Environmental protection, can drain off thoroughly, can be reused.
- 03** 重量轻，使用方便，效率很高
Light weight, easy to use, very efficient
- 04** 耐腐蚀、抗老化、耐腐蝕、抗紫外线等
Corrosion resistance, anti - aging, corrosion resistance, UV, etc
- 05** 全部可以定制
All can be customized

Performance 性能



PVC coated tarpaulin
PVC 涂层篷布



Galvanized steel
镀锌钢



U joint
U 形联合



PVC ball valve
PVC 球阀



Connector of valve
阀门连接器



PVC union
PVC 活接



Heavy Duty Garden Leaf Tarp



01 HDPE+LDPE 原材料高密度
14*14PE 防水防紫外线

HDPE+LDPE virgin
material high density 14*14
PE Waterproof & UV protect



02 你可以用拉链把布的四个边
拉起来

You can use the zipper to pull
up the four sides of the cloth



03 四个角上各有一块磁铁，每边中间
各有一块磁铁可以把布连在一起。

There is a magnet in each of
the four corners, and one in
the middle of each side can
hold the cloth together.

Application 应用



Clean Up Your Garden
清理花园



Trimming Lawns
修剪草坪



Outdoor Furniture Covers
户外家具罩



Transport Tarp 运输盖布

Color Customized 颜色可定制



Application 应用范围

集装箱盖布可为数据设备集装箱，清洁能源集装箱，冷链集装箱等各种储存集装箱提供保护。无论是正常形状的还是异形的集装箱，我们都可以为其定制合适的盖布。

The container tarps can provide protection for various storage containers such as data equipment containers, clean energy containers, and cold chain containers. Whether it is normal shape or special shape container, we can also customize a suitable tarpaulin cover for it.



Processing Technics 加工工艺

如今的运输工具多样化，我们厂则会提供最优的建议给客户并为客户定制最合适的运输盖布。华为，比亚迪，中集等知名企业都是我们的长期合作伙伴。我们以最好的质量，最高的效率，最好的服务赢得了客户们的青睐。我相信 LTCANOPY 会是你最好的选择！

Nowadays, there are various means of transportation. Our factory will provide the best suggestions and customize the most suitable transportation tarps for customers. HUAWEL, BYD CIMC and other well-known enterprises are our long-term partners. We have won the favor of customers with the best quality, highest efficiency and best service. I believe LTCANOPY will be your best choice!



Laser Print
激光打印



Customs Gate
海关门



Windows
窗户




Reflective Tape
反光带



Zipper
拉链



Velcro
魔术贴



Rope & Eyelets
包绳打孔



HZ Welding
高频焊接



Buckle
搭扣



Cotton Protect Corner
棉护箱角



Nail & Wire
钉和钢丝绳



Pulley
滑轮

PVC Truck Side Curtain

汽车侧帘


6 Product Features 产品性能



- 01** 防水
100% Waterproof
- 02** 耐用可折叠
Durable and Flexible
- 03** 阻燃
Flame Retardant
- 04** 抗紫外线
UV Stabilized
- 05** 色牢度高
Color Fastness
- 06** 抗撕裂
High Tear Resistance

尺寸定制

Custom manufactured to suit exact truck specifications



Colorful fabric colors 颜色多种选择



Wind proof
防风



Anti mildew
防霉



Fireproof
防火



Waterproof
防水



Anti-UV
抗紫外线



Eco friendly
环保

Box Shape Tarpaulin Cover For Temporary Container House

临时集装箱房箱形防水油布盖

为您的容器提供额外的保护层！

Provide an additional layer of protection for your container



Features 特点

- 防水、防紫外线、自清洁
Waterproof, Anti-UV, Self Clean
- 柔性和高张力
Flexible & High tensile
- 良好的焊接剥离强度
Good peeling strength for welding
- 耐用高强度
Durable & High strength
- 坚耐用
Heavy duty & durable
- 温度范围：-30° C 至 70° C
Temperature range: -30° C to 70° C

Performance 性能



01

防水阻燃超厚材料

Waterproof Flame retardant Super thick material



02

标志印刷 - 支持公司商标警告标语

Logo printing supported Company trade mark Warning slogan



03

黄铜孔眼间距 30cm 内径 17mm

Brass eyelet Each one 30cm distance 17mm inner diameter



04

5cm 宽的口袋，边缘绳缝在里面，更好的盖住

5cm width pocket in edge Rope stitched inside Better tension for cover



Waterproof



Flame retardant



UV protection



Anti freeze



Mildew proof



Anti aging



Eco friendly



Shipping Container Tarpaulin Cover 海运集装箱防水盖布

我们的防水篷布罩采用盒子形状制成，带有顶盖和 4 个包边配有加固焊接边缘和孔眼。孔眼用单独的松紧环或连续长度的松紧绳固定，以形成完美的防水罩。

Our waterproof tarpaulin covers are made in the shape of a box with a top cover and 4 wrap-over sides, complete with re-enforced welded edges and eyelets. The eyelets are secured with either individual bungeeloops or a continuous length of bungee cord to create a perfect waterproof cover.



01 良好的剥离强度
适合焊接
Good peeling strength
for welding

02 面料耐用
强度高
Durable & High
strength

03 耐受温度范围 -
30° C 至 70° C
Temperature range -30°C to
70°C

3 Product
Advantage
产品优势



01

防水、阻燃、
超厚材质面料

Waterproof Flame
retardant Super thick material



Waterproof
防水

02

拼接透明软胶
方便查看箱号

Partially spliced transparent
tarpaulin, easy to check
the container number



Flame retardant
阻燃

03

黄铜扣眼内径 17mm
间距 30cm

Brass eyelet
Each one 30cm distance
17mm inner diameter



UV protection
防紫外线



Anti aging
抗衰老



Mildew proof
防霉

04

边缘缝合 5 厘米宽固定带
可用绳子穿过，固定更牢固

5cm width pocket in edge Rope
stitched inside Better tension for
cover




Anti freeze
耐低温



Eco friendly
绿色环保



Membrane Structure Fabric 膜结构



膜结构具有抗紫外线、抗静电、防霉、抗菌、防风保温、自洁等性能，使用10年不褪色。它可以用作婚礼帐篷、派对活动帐篷、临时避难所帐篷或提供存储功能。

The membrane structure has the properties of anti-UV, anti-static, anti-mildew, anti-bacteria, windproof, heat preservation, and self-cleaning. It does not fade even after 10 years of use. It can be used as wedding tents, party event tents, temporary shelter tents and can provide storage functions.

10年
使用不褪色




Product Display 产品展示

这原材料 PVC 夹网布是一种可供定制产品。适合每个停车场使用
 PVC coated tarpaulin raw material and processing supply OEM&ODM
 customized service are provided Good for every one car parking shape



Popular white PVC coated tarpaulin display 常规白色帆布展示



Manufacturing 生产中



Frame
框架

Processing
加工

Packing
打包

UV Printing
印刷

Car Parking Shape 停车场



8 Product Advantage 产品优势

- 01 美观
Aesthetically Pleaing
- 02 维护简单
Easy to maintenance
- 03 使用寿命长
Long lifespan
- 04 抗撕裂
High Tear Strength
- 05 抗紫外线
UV Resistant
- 06 阻燃
Flame Retardant
- 07 性价比高
Cost-effective
- 08 LOGO可印刷
Printing LOGO



Fire retardant
阻燃



UV Print
抗紫外线



ECO Friendly
环保



High Low Temperature Resistance
耐高低温



Mould Proof
防霉

PVC Pagoda Tent 户外帐篷

01 材质及颜色均可定制
Material & color can be customized



02 防水 / 抗紫外线 / 抗撕裂
Waterproof/Anti-UV/Tear-resistance



03 定制公司标志或图案印刷
Customized logo or printing

有机硅布
Organic Silicon Tarp



PVC 篷布
PVC Tarp

牛津布
Oxford Tarp

Application 应用



Party Tent
宴会帐篷



Wedding Tent
婚礼帐篷



Trade Show Tent
展会帐篷